International Roughness Index

(IRI) 2024 Proficiency Pack

Name:		
Employer:		



AASHTO TM59: IRI Profiler Operator Qualification

PROFICIENCY CHECKLIST

	Applicant		
	Employer		
	Littpiogei	Trial	Trial
		1	2
1.	Explain: Is the machine certified by MoDOT?		
	Setup with values on calibration certificate?		
2	Is the driver IRI certified? Explain: Items that should be checked prior to profiling.		
۷.	Vehicle fluid levels		
	Headlights, signals, safety strobes/beacons, signage		
	Profile path project readiness – dry run		
	Warm up		
	o Engine		
	o Transmission		
	 Tires Tire pressure 		
	Visually check sensors		
	Static sensor check		
	Fundain Distance Management Instrument (DMI) weiß at in a management		
3.	Explain: Distance Measurement Instrument (DMI) verification procedure (Actual DMI testing will be completed at the Airport in Linn)		
	(Actual DMI testing will be completed at the All port in Linit)		
	Clean, dry, (damp ok) testing track.		
	Warm up host vehicle tires and operating system		
_	Turn off filters		
	Set-up the computer for profiling the testing track		
ч	Line up with the cone, ready the trigger device		
	Navigate the inertial profiler over a measured test section of 528 ft. \pm 0.1 ft.		
	Maintain the vehicle at a constant speed through out the test.		
	Save the profile in a file, transfer to a thumb drive, hand over to the Engineer to analyze		
	Is the result within 0.15% of the measured length?		
	If profiler does not meet the 0.15%, make adjustments and repeat the run.		
NC	DTE: GPS-DMI must pass within 0.15% of the measured length.		
		Pass	Pass
		Fail	Fail

4. Demonstrate: Laser Height verification procedure Block Test:		
Placed a smooth base plate under the height sensors. Allow the system to measure this height. Zero out the sensors.		
 Centered a 0.25-inch block under the height sensors on top of the base plate and recorded height measurement. 		
Replaced the 0.25-inch block with the 0.50-inch block. Record height measurement.		
Replaced 0.50-inch block with the 1.00-inch block. Recorded height measurement.		
Replaced 1.00-inch block with the 2.00-inch block. Recorded height measurement.		
Gauge block height measurement recorded in the calibration log.		
For each gauge block, the absolute difference between the height measurement and the actual		
gauge block thickness is less than or equal to 0.01 inch.		
5. Demonstrate: Bounce Test		
☐ Vehicle parked on a level surface?		
Performed after operating system has reached operational stability according to manufacture?		
☐ With the base plates in position		
simultaneously under both wheel path sensors, place the vehicle in an operating		
mode that simulates longitudinal		
movement and initiate profile data		
collection. (vehicle is in park)		
☐ Subjected the vehicle to a vertical		
displacement of approximately 1 to 2 in.		
for the time required to travel 528 ft.		
Measured profiles saved and analyzed in		
ProVAL.		
System showed a passing result?		
	Pass	Pass
	Fail	Fail
Examiner:Date:	_	